Notice of Allowability	Application No.	Applicant(s)
	10/541,945	STEINBRECHER ET AL.
	Examiner	Art Unit
	Sean D. Andrish	3672
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1.  This communication is responsive to 13 September 2007.		
· · · · · · · · · · · · · · · · · · ·		
2. The allowed claim(s) is/are <u>3 - 12</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 <b>- N</b> ation (1) (1)	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	5. ☐ Notice of Informal P	• •
Information Disclosure Statements (PTO/SB/08),	6. ⊠ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	te <u>07 November 2007</u> .
Paper No./Mail Date	7. 🖂 Examiner's Amendi	nenvomment
4.   Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.	ent of Reasons for Allowance

10/541,945 Art Unit: 3672

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Frederick J. Dorchak on 7 November 2007.

## IN THE CLAIMS

- 2. The application has been amended as follows:
  - Claim 5, line 11, after "generator" --is-- has been inserted;

line 26, "then" has been deleted;

line 28, after "pump" --is-- has been inserted;

line 29, after "action," --is-- has been inserted.

- Claim 6, line 2, "in of" has been deleted and after "pressing" --of the-- has been inserted;
   line 7, after "pump" --are-- has been inserted.
- Claim 7, line 2, "a" has been replaced with --the--;

line 3, "can be" has been replaced with --is--;

line 8, "a" has been replaced with --the--;

line 9, "a" has been replaced with --the--;

line 10, "an" has been replaced with --the-- and "can be" has been replaced with --is--.

• Claim 8, line 9, "can be" has been replaced with --is--;

line 13, "a" has been replaced with --the--;

10/541,945 Art Unit: 3672

lines 17 and 18, "can be" has been replaced with --is--.

- Claim 9, line 2, after "volume" --and the pressure-- has been inserted;
   line 3, "and the pressure" has been deleted.
- Claim 10, line 3, "at times" has been deleted.
- Claim 11, line 2, "disks" has been replaced with --disk--; line 3, "of the" has been replaced with --of a--.
- Claim 12, line 10, after "generator" --being-- has been inserted.

## **CONCLUSION**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sean D. Andrish whose telephone number is (571) 270-3098.

The examiner can normally be reached on Mon - Fri, 7:30am - 5:00pm, Alternate Fri off, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571) 272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/541,945

Art Unit: 3672

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David Bagnell

Supervisory Patent Examiner

Art Unit 3672

SDA

11/19/2007